

L Number	Hits	Search Text	DB	Time stamp
1	36192	(detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:42
2	4939	bus adj bridge\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:43
4	4706	internal adj logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:44
5	3854	power adj regulator\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:45
7	7516	fault adj1 signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:47
8	24	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:48
9	0	((((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with (bus adj bridge\$)) with (internal adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:48
10	1	((((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with (bus adj bridge\$)) same (internal adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:49
11	1	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$) same (internal adj logic) same (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:50
12	30	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:50

13	1	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$)) and (internal adj logic) and (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:50
14	1	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$)) and (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:51
15	37662	power with bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:52
17	0	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (fault adj1 signal) same (power with bus)) and (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:53
16	35	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (fault adj1 signal) same (power with bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:22
18	7025	((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:34
19	14	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:25
20	32680	((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:35
21	148	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:36
22	4	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:36

23	7	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:36
24	2	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:37
25	11	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:37
26	9	((((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$)) not (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:43

27	3366	(714/?).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
28	2901	(710/?).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
29	657	(712/?).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
30	6845	((714/?).cccls.) or ((710/?).cccls.) or ((712/?).cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
31	198	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:45
32	11	((714/?).cccls.) or ((710/?).cccls.) or ((712/?).cccls.)) and (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:45

33	9	<p>(((714/?).ccls.) or ((710/?).ccls.) or ((712/?).ccls.)) and (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) not (((((((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$))) not (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI))) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI)))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/08/06 17:45</p>
----	---	---	--	-----------------------------

09/7531006

L Number	Hits	Search Text	DB	Time stamp
1	36192	(detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:42
2	4939	bus adj bridge\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:43
4	4706	internal adj logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:44
5	3854	power adj regulator\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:45
7	7516	fault adj1 signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:47
8	24	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:48
9	0	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with (bus adj bridge\$)) with (internal adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:48
10	1	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with (bus adj bridge\$)) same (internal adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:49
11	1	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$) same (internal adj logic) same (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:50
12	30	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:50

13	1	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$)) and (internal adj logic) and (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:50
14	1	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$)) and (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:51
15	37662	power with bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:52
17	0	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (fault adj1 signal) same (power with bus)) and (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 16:53
16	35	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (fault adj1 signal) same (power with bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:22
18	7025	(disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:34
19	14	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:25
20	32680	(disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:35
21	148	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:36
22	4	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:36

23	7	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:36
24	2	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:37
25	11	(((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:37
26	9	((((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$)) not (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:43

27	3366	(714/?).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
28	2901	(710/?).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
29	657	(712/?).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
30	6845	((714/?).ccls.) or ((710/?).ccls.) or ((712/?).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:44
31	198	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:45
32	11	((714/?).ccls.) or ((710/?).ccls.) or ((712/?).ccls.)) and (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 17:45

33	9	<p>(((714/?).cccls.) or ((710/?).cccls.) or ((712/?).cccls.)) and (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI)))) not ((((((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (internal adj logic)) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or disconnect\$4) with (bus or PCI))) and (power adj regulator\$))) not (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI)))) or (((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI))))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/08/06 17:46</p>
----	---	--	--	-----------------------------